



博力顺
BO LI SHUN

广东博顺带业有限公司

GUANGDONG BOSHUN BELTING CO.,LTD.

Stone & Ceramics Industry
— Innovator of automation

About us

- ▶ Guangdong Boshun Belting Co.,Ltd. was established in 2012, which is specialized in light duty conveyor belt production, sales, research and development. The factory covers an area of 80000 square meters in Huizhou City, with 8 most advanced conveyor belt coating production lines in China. We can produce belt width from 1500mm to 3500mm, the annual production capacity up to 6 million square meters. In order to ensure the products with better quality and competitive price, we are doing well to control the cost of each link. Now we have more than 30 units of weaving machines to weave the belt fabric by ourselves, weaving production capacity up to 6 million square meters per year. Market is the direction of our development, the quality is our lives. We see “drive the industry innovation and development” as mission, aim to create the greatest value for customers. We will continue to innovate and improve product quality system, to achieve the goal of the becoming high quality and technology-leading belting enterprise in the world.



Quality Control

- ▶ Boshun Belting strictly control the quality system, each roll of conveyor belt will undergo strict temperature, hardness, tension etc testing before shipment. We ensure that each conveyor belt in the use condition of safe, non-pollution, long life, high precision, providing customers with the best quality products.




博顺 带业

Stone & Ceramics Industry
Innovator of automation




- ▶▶ Boshun Belting is the leading manufacturer of conveyor belt for stone & ceramics industry. The factory covers an area of 80000 square meters in Huizhou City. As our main products, our belts have characteristics of cut-resistant, abrasion-resistant, flatness and high breaking strength, etc. We supply belts to many ceramics and marble equipment manufacturers all over the world, promoting production quality and collocation in deep cooperation. We also set up Research & Development center by self, our technical experts research and develop new productions, owns six conveyor belt industrial patents at present.




High Quality

- ▶▶ Our technicians check the whole process of production. High viscosity glue make belts no stomata. Flatness. We remove bubble from PVC solution in vacuum mixer, make sure no bubble then in production. Strictly control the thickness tolerance with 0.05mm. Bottom fabric with abrasion-resistant. Working life of conveyor belt with abrasion-resistant impregnated fabric is over one year.


Products




Low grip



Small golf




Tooth(one-direction)




Smooth




Square



Y pattern



Tooth(two-direction)



Cutting machine belt

Technical data

Type	Color	Pattern	Thickness (mm)	Ply	Effective pull at 1% elongation (N/mm)	Min diameter (mm)	Temperature range (°C)
70P39-28/15	White	Smooth/Small golf	7.0	3	50	350	-15/+80
70P39-76/25	Petrol	Low grip	7.0	3	50	350	-15/+80
90P49-76	Petrol	Smooth	9.0	4	70	450	-15/+80
90P49-76/4	Petrol	Round nipple	9.0	4	70	450	-15/+80
90P32-36/13	Black	Square	9.0	3	14	120	-15/+80
90P39-71/15	Petrol	Small golf	9.0	3	70	450	-10/+80
90P49-76/25	Petrol	Low grip	9.0	4	50	450	-15/+80
90P49-86/49	Blue	Y pattern	9.0	4	70	400	-10/+80
120P42-74(1)/0H(RED)	Red	Matt	12.0	4	25	200	-10/+90
130P49-76/23	Petrol	Tooth(one-direction)	13.0	4	70	450	-15/+80
130P49-76/34	Petrol	Tooth(two-direction)	13.0	4	70	450	-15/+80
130P49-86/34	Blue	Tooth(two-direction)	13.0	4	70	450	-15/+80

Polyurethane Belt

- ▶ We have three production lines in PERSLY brand for polyurethane belt and they are available with green rough, red smooth and reinforced. The diameter range from 2mm to 22 mm. Customized is available.

Tolerances of round belts

diameter < 15mm : ± 0.3 mm


diameter > 15mm: ± 0.5 mm

Tolerances of V belts

Width: ± 0.5 mm

Height: ± 0.5 mm

Standard hardness: 85 shoreA



PU Timing Belt

- ▶ We have 25 production lines in TAI FENG and PERSLY brand for PU Timing Belts AT20. Timing belts are manufactured in thermoplastic polyurethane, that gives superior wear and abrasion resistance, steel cord offer good running characteristics with high tractive loads.





广东博顺带业有限公司

GUANGDONG BOSHUN BELTING CO.,LTD.

GUANGDONG BOSHUN BELTING CO.,LTD.

OFFICE ADDRESS: NO.8 YAYINGSHI ROAD, SCIENCE CITY, HUANGPU DISTRICT,
GUANGZHOU, GUANGDONG, CHINA

POSTCODE:510000

FACTORY ADDRESS: TWELVE RIDGE, YANGQIAO VILLAGE, BOLUO COUNTY,
HUIZHOU CITY, GUANGDONG, CHINA

POSTCODE:516100

TEL:0086-20-82553527

FAX:0086-20-82553873

EMAIL: info@boshunbelt.com

WEBSITE: www.boshunbelting.com

Branch

◎ Guangzhou Dingshun Electrical and Mechanical Equipment Co.,Ltd.

Address: No.8 Yayingshi Road, Science City, Huangpu District, Guangzhou,
Guangdong, China
Tel: 0086-20-32366372

◎ Foshan Persly Industrial Belt Co.,Ltd.

Address: Behind Nanzhuang Third Middle School, Xingbian Development Zone,
Nanzhuang Town, Chancheng District, Foshan City, Guangdong, China
Tel: 0086-757-82532941

◎ Jiangsu New Lianda Belting Technology Co.,Ltd.

(Wuxi Lianda Conveyor Belt Co.,Ltd.)

Address: Wanxin Industrial Zone, Luoshe Town, Huishan District, Wuxi City, Jiangsu,
China
Tel: 0086-510-83302888

◎ Taizhou Fengli Industrial Belt Co.,Ltd.

Address: No.21, Huicai Road, Yexu Town, Medical High-tech Zone, Taizhou City, Jiangsu,
China
Tel: 0086-523-86666888

◎ Dongguan Dongyi Industrial Belt Co.,Ltd.

Address: No.2 Fenxinyanhe Road, Xin Village, Wanjiang District, Dongguan City,
Guangdong, China
Tel: 0086-769-22705408

◎ Fujian Branch

Address: X328 Beihuan Road, Jinjiang City, Quanzhou, Fujian, China
Tel: 0086-595-85026852



Scan QR code with WeChat